



LED LIGHTING CATALOG 2023

ABOUT US :

VENSA LED is a leading specialist in sustainable architectural, commercial and residential lighting with LED technology. The family-owned business in Surat in the heart of Gujarat operates as a national player with independent sales and partner organisations in all over India.





ARCHITECTUAL LIGHTING

01

it is the field of endeavor which integrates or draws upon architecture, design and engineering to make systems of light, including natural

RESIDENTIAL LIGHTING

02

Residential lighting is majorly installed to complement the house's aesthetics and interiors for the lighting purpose.

COMMERCIAL LIGHTING

03

Commercial lighting is lighting used within business spaces such as offices, stores, universities, hospitals and government buildings



LED PANEL LIGHT

8W | 15W | 22W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
8 WATT	3K 4K 6K	ROUND SQUARE	4 INCH	40 PIECES
15 WATT	3K 4K 6K	ROUND SQUARE	6 INCH	20 PIECES
22 WATT	3K 4K 6K	ROUND SQUARE	8 INCH	10 PIECES

LED SURFACE PANEL

8W | 15W | 22W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
8 WATT	3K 4K 6K	ROUND SQUARE	NA	40 PIECES
15 WATT	3K 4K 6K	ROUND SQUARE	NA	20 PIECES
22 WATT	3K 4K 6K	ROUND SQUARE	NA	10 PIECES





2' X 2' PANEL LIGHT

36W | 48W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
36 WATT	4K 6K	SQUARE	2' X 2'	5 PIECES
48 WATT	4K 6K	SQUARE	2' X2'	5 PIECES

RIMLESS SURFACE PANEL

16W | 24W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
16 WATT	3K 4K 6K	ROUND SQUARE	NA	40 PIECES
24 WATT	3K 4K 6K	ROUND SQUARE	NA	20 PIECES





LED DOWNLIGHT

7W | 16W | 22W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
7 WATT	4K 6K	ROUND	3 INCH	40 PIECES
16 WATT	4K 6K	ROUND	4 INCH	20 PIECES
22 WATT	4K 6K	ROUND	6 INCH	10 PIECES

LED DEEP DOWNLIGHT

12W | 18W | 24W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
12 WATT	4K 6K	ROUND SQUARE	4.5 INCH	40 PIECES
18 WATT	4K 6K	ROUND SQUARE	5.5 INCH	20 PIECES
24 WATT	4K 6K	ROUND SQUARE	6.5 INCH	10 PIECES





DELTA COB WITH RING

7W | 12W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
7 WATT	3K 4K 6K	ROUND	2.45 INCH	40 PIECES
12 WATT	3K 4K 6K	ROUND	2.80 INCH	20 PIECES

CURVE COB WITH REFLECTOR

7W | 12W | 18W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
7 WATT	3K 4K 6K	ROUND	2.25 INCH	40 PIECES
12 WATT	3K 4K 6K	ROUND	2.8 INCH	20 PIECES
18 WATT	3K 4K 6K	ROUND	3 INCH	10 PIECES



PHILIPS





DELTA COB SPOTLIGHT (IMPORTED HOUSING)

7W | 12W | 18W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
7 WATT	3K 4K 6K	ROUND	2.25 INCH	40 PIECES
12 WATT	3K 4K 6K	ROUND	2.80 INCH	20 PIECES
18 WATT	3K 4K 6K	ROUND	3.00 INCH	10 PIECES

DELTA COB SPOTLIGHT (INDIAN HOUSING)

7W | 12W | 18W | 24W | 30W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
7 WATT	3K 4K 6K	ROUND	2.25 INCH	40 PIECES
12 WATT	3K 4K 6K	ROUND	2.8 INCH	20 PIECES
18 WATT	3K 4K 6K	ROUND	3 INCH	10 PIECES
24 WATT	3K 4K 6K	ROUND	4.5 INCH	10 PIECES
30 WATT	3K 4K 6K	ROUND	4.5 INCH	10 PIECES





DOUBLE HEAD COB

12W | 12W + 12W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
12 WATT	3K 4K 6K	SQAURE	70 X 70 MM	40 PIECES
12 + 12 WATT	3K 4K 6K	RECTANGLE	70 X 155 MM	20 PIECES

BEAT MODEL COB



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
7 WATT	3K 4K 6K	ROUND	60 MM	40 PIECES
12 WATT	3K 4K 6K	ROUND	75 MM	20 PIECES
18 WATT	3K 4K 6K	ROUND	90 MM	20 PIECES

bridgelux
COB CHIP

PHILIPS
DRIVER





HONEYCOMB COB

12W | 12W + 12W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
12 WATT	3K 4K 6K	SQAURE	70 X 70 MM	40 PIECES
12 + 12 WATT	3K 4K 6K	RECTANGLE	70 X 150 MM	20 PIECES





DEEP COB

3W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
3 WATT	3K 4K 6K	ROUND	1.2 INCH	40 PIECES

SURFACE MOVABLE CYLINDER

12W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
12 WATT	3K 4K 6K	ROUND	55 X 165 MM	40 PIECES

bridgelux
COB CHIP

PHILIPS
DRIVER

13
IN





SURFACE CYLINDER LIGHT

7W | 12W | 18W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	BODY SIZE	PIECES PER CARTON
7 WATT	3K 4K 6K	ROUND	50 X 70 MM	40 PIECES
12 WATT	3K 4K 6K	ROUND	70 X 90 MM	20 PIECES
18 WATT	3K 4K 6K	ROUND	95 X 100 MM	20 PIECES

INDIAN SURFACE CYLINDER

7W | 12W | 18W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	BODY SIZE	PIECES PER CARTON
7 WATT	3K 4K 6K	ROUND	55 X 65 MM	40 PIECES
12 WATT	3K 4K 6K	ROUND	75 X 100 MM	20 PIECES
12 WATT	3K 4K 6K	ROUND	90 X 110 MM	20 PIECES





SURFACE FLEXIBLE CYLINDER

12W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
12 WATT	3K 4K 6K	ROUND	80 X 88 MM	20 PIECES

SURFACE DRUM LIGHT

12W | 18W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
12 WATT	3K 4K 6K	ROUND	NA	40 PIECES
18 WATT	3K 4K 6K	ROUND	NA	20 PIECES

bridgelux[®]
COB CHIP






PULL OUT ZOOM LIGHT

12W

360° ADJUSTABLE



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
12 WATT	3K 4K 6K	ROUND	65 X 100 MM	40 PIECES

bridgelux
COB CHIP

PHILIPS
DRIVER

3 IN





LED LINEA LIGHT

1 HEAD | 2 HEAD | 3 HEAD | 5 HEAD

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
1 HEAD	3K 4K 6K	RECTANGLE	34 X 34 MM	40 PIECES
2 HEAD	3K 4K 6K	RECTANGLE	64 X 34 MM	20 PIECES
3 HEAD	3K 4K 6K	RECTANGLE	93 X 34 MM	10 PIECES
5 HEAD	3K 4K 6K	RECTANGLE	135 X 34 MM	10 PIECES

ULTRA LASER BLADE LIGHT

1 HEAD | 3 HEAD | 4 HEAD | 5 HEAD

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT



POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
1 HEAD	3K 4K 6K	RECTANGLE	42 X 42 MM	40 PIECES
3 HEAD	3K 4K 6K	RECTANGLE	118X 42 MM	20 PIECES
4 HEAD	3K 4K 6K	RECTANGLE	80 X 80 MM	10 PIECES
5 HEAD	3K 4K 6K	RECTANGLE	195 X 42 MM	10 PIECES





LED TRACK LIGHT

10W | 20W | 30W


SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
10 WATT	3K 4K 6K	ROUND	NA	40 PIECES
20 WATT	3K 4K 6K	ROUND	NA	20 PIECES
30 WATT	3K 4K 6K	ROUND	NA	10 PIECES

TRACK CHANNEL

1 METER | 2 METERS



SPECIFICATIONS :

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
1 METER	NA	RECTANGLE	NA	50 PIECES
2 METERS	NA	RECTANGLE	NA	30 PIECES





HANGING PROFILE

36W | 48W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
36 WATT	3K 4K 6K	RECTANGLE	4 FEET	5 PIECES
48 WATT	3K 4K 6K	RECTANGLE	4 FEET	5 PIECES

WITH LINEA LIGHT

60W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT


POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
60 WATT	3K 4K 6K	RECTANGLE	4 FEET	5 PIECES

bridgelux
COB CHIP

PHILIPS
DRIVER

13
IN





LED STRIP LIGHT

60 LED | 120 LED | 180LED | 240 LED

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	LENGHT	PIECES PER CARTON
60 LED	3K 4K 6K RGB	FLEXIBLE	5 METERS	500 METERS
120 LED	3K 4K 6K RGB	FLEXIBLE	5 METERS	500 METERS
180 LED	3K 4K 6K RGB	FLEXIBLE	5 METERS	500 METERS
240 LED	3K 4K 6K RGB	FLEXIBLE	5 METERS	500 METERS

PROFILE FIXTURE


7MM | 12MM | 17MM | 25MM | 35MM



SPECIFICATIONS :


POWER	LENGHT	SHAPE	CUTTING SIZE	PIECES PER CARTON
7 MM	2 METERS	SQUARE	NA	400 METERS
12 MM	2 METERS	SQUARE	NA	400 METERS
17 MM	2 METERS	SQUARE	NA	400 METERS
25 MM	2 METERS	SQUARE	NA	400 METERS
35 MM	2 METERS	SQUARE	NA	400 METERS





SMPS DRIVER

**2.5 AMP | 5 AMP | 8.7 AMP | 10 AMP |
12.5 AMP | 16.5 AMP | 25 AMP | 33.3 AMP**



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
2.5 AMP	NA	RECTANGLE	NA	150 PIECES
5 AMP	NA	RECTANGLE	NA	100 PIECES
8.7 AMP	NA	RECTANGLE	NA	50 PIECES
10 AMP	NA	RECTANGLE	NA	50 PIECES
12.5 AMP	NA	RECTANGLE	NA	50 PIECES
16.5 AMP	NA	RECTANGLE	NA	30 PIECES
25 AMP	NA	RECTANGLE	NA	20 PIECES
33.3 AMP	NA	RECTANGLE	NA	20 PIECES



HANGING LIGHTS



VL23 - 1001



VL23 - 1002



VL23 - 1003



VL23 - 1004



VL23 - 1005



VL23 - 1006




LED LENS STREET LIGHT

24W | 36W | 50W | 100W | 150W



OSRAM
LED



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
24 WATT	6000 K	SQUARE	NA	10 PIECES
36 WATT	6000 K	SQUARE	NA	5 PIECES
50 WATT	6000 K	SQUARE	NA	1 PIECE
100 WATT	6000 K	SQUARE	NA	1 PIECE
150 WATT	6000 K	SQUARE	NA	1 PIECE





GM MODEL FLOOD LIGHT

50W | 100W | 150W | 200W

SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
50 WATT	3K 6K	SQUARE	NA	10 PIECES
100 WATT	3K 6K	SQUARE	NA	5 PIECES
150 WATT	3K 6K	SQUARE	NA	1 PIECE
200 WATT	3K 6K	SQUARE	NA	1 PIECE

LED BACK CHOWK FLOOD LIGHT

30W | 60W | 100W | 150W | 200W



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
30 WATT	3K 6K	SQUARE	NA	10 PIECES
60 WATT	3K 6K	SQUARE	NA	5 PIECES
100 WATT	3K 6K	SQUARE	NA	1 PIECE
150 WATT	3K 6K	SQUARE	NA	1 PIECE
200 WATT	3K 6K	SQUARE	NA	1 PIECE



OSRAM
LED





UFO Highbay Light

50W | 100W | 150W | 200W



OSRAM
LED



SPECIFICATIONS :

INPUT VOLTAGE : 85-265V A.C. FREQUENCY : 50Hz TO 60Hz POWER FACTOR > 0.9 130 LM/WATT

POWER	COLOUR	SHAPE	CUTTING SIZE	PIECES PER CARTON
50 WATT	6000 K	ROUND	NA	10 PIECES
100 WATT	6000 K	ROUND	NA	5 PIECES
150 WATT	6000 K	ROUND	NA	1 PIECE
200 WATT	6000 K	ROUND	NA	1 PIECE





VENSA LED
LIGHTS FOR LIFE



VENSA LED LIGHTINGS one of the leading manufacturers in the architectural LED lighting market, featuring a comprehensive catalog of proven quality, high-reliability lighting fixtures capable of offering industry professionals the most innovative and alternative solutions at all times. A full range of acclaimed architectural lighting products.



VENSALED2023@GMAIL.COM



+91 - 879 922 3430
+91 - 962 467 3588



249, Ekta Nagar, Opp. to Krishna Krupa Society,
Parvat Gam, Surat - 395010

Vensa Led Lighting
WhatsApp Business Account



www.vensaled.com